



ForeScout CounterACT[®]

Network Devices Compatibility Matrix

Updated: October 2018




Table of Contents

About Network Devices Compatibility	3
Wired Integrations (Switches)	3
Cisco Switches	3
HPE Switches	8
Juniper Switches	11
Avaya Switches	11
Huawei Switches	12
Arista Switches	13
H3C Switches	13
Alcatel Switches	14
Brocade Switches	15
Dell Force10 Switches	17
Extreme Switches	17
Enterasys Switches (now Extreme)	18
D-Link Switches	18
Hirschmann (Belden) Switches	18
Dasan Switches	21
Additional Switch Vendors	21
WLAN Integrations	22
VPN Integrations	24
Firewall Integrations	24

About Network Devices Compatibility

ForeScout CounterACT® supports a wide range of networking device vendors and their products. The following tables describe support for Wired, Wireless LAN and VPN devices, with detailed information about the models and operating systems versions that were validated for integration with CounterACT's Switch, Wireless and VPN Plugins.

Products in the following tables below represent a subset of each vendor's product portfolio, as it is impossible to test every available model and operating system. CounterACT may support additional models from these vendors as well, although not explicitly specified below.

For additional information about supported functionalities, configuration and requirements please refer to individual Plugin Configuration Guides.

ForeScout reserves the right to change this document at any time, without notice, at ForeScout's sole discretion.

Wired Integrations (Switches)

CounterACT supports the following switches:

Cisco Switches

Category	Switch Series	OS Version	Minimum CounterACT Plugin Version	See			Control		
				Endpoint Detection (1)	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus LAN Switches – Access	Meraki MS	MS-9.32	CNC-1.0.0	✓	✓	✓			
	Catalyst 2900	IOS 11.x/12.x	8.7.3	✓	✓	✓	✓	✓	
	Catalyst 2940	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 2950 LRE	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 2955	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 2960	IOS-12.x/15.x	8.7.3	✓	✓	✓	✓	✓	✓

Category	Switch Series	OS Version	Minimum CounterACT Plugin Version	See			Control		
				Endpoint Detection Ω	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	Catalyst 2960-Plus	IOS-12.x/15.x	8.7.3	√	√	√	√	√	√
	Catalyst 2960-S	IOS-12.x/15.x	8.7.3	√	√	√	√	√	√
	Catalyst 2960-X	IOS-15.x	8.7.3	√	√	√	√	√	√
	Catalyst 2960 LAN Base	IOS-12.x	8.7.3	√	√	√	√	√	√
	Catalyst 2970	IOS-12.x	8.7.3	√	√	√	√	√	√
	Catalyst 2975	IOS-12.x	8.7.3	√	√	√	√	√	√
	Catalyst 3550 Intelligent Ethernet Switches for Metro Access	IOS-12.x	8.7.3	√	√	√	√	√	√
	Catalyst 3560	IOS-12.x/15.x	8.7.3	√	√	√	√	√	√
	Catalyst 3560-E	IOS-12.x/15.x	8.7.3	√	√	√	√	√	√
	Catalyst 3750	IOS-12.x/15.0	8.7.3	√	√	√	√	√	
	Catalyst 3750-E	IOS-12.x/15.x	8.7.3	√	√	√	√	√	√
	Catalyst 3750-X	IOS 12.x/15.x	8.7.3	√	√	√	√	√	√

Category	Switch Series	OS Version	Minimum CounterACT Plugin Version	See			Control		
				Endpoint Detection Ω	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	Catalyst 3850	IOS-XE 3.6.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 3850	IOS-XE Denali-16.3.x	8.11.1.1	✓	✓	✓	✓	✓	✓
	Catalyst 4000	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 4500	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 4500X	IOS-XE 3.6.x	8.11.2	✓	✓	✓	✓	✓	✓
	Catalyst Express 500	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
Campus LAN Switches – Compact	Catalyst 3560-C	IOS-12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 3560-CX	IOS-15.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 2900-XL	IOS-12.x/15.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 2960-C	IOS-12.x/15.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 2960-CX	IOS-15.x	8.7.3	✓	✓	✓	✓	✓	✓
Campus LAN Switches – Core & Distribution	Catalyst 6800	IOS-15.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 6500	CAT-OS 8.5 IOS-12.x/15.x	8.7.3	✓	✓	✓	✓	✓	✓

Category	Switch Series	OS Version	Minimum CounterACT Plugin Version	See			Control		
				Endpoint Detection Ⓜ	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Data Center Switches with NX-OS Software	Nexus 9000	NX-OS 4.x/5.x/6.x/7.x	8.7.3	✓	✓	✓	✓	✓	✓
	Nexus 9000 (ACI-Mode)	NX-OS 12.x / 13.x	8.11.1020 (CounterACT v7 only)	✓					
	Nexus 7000	NX-OS 5.x/6.x/7.x	8.7.3	✓	✓	✓	✓	✓	✓
	Nexus 6000	NX-OS 6.x/7.x	8.7.3	✓	✓	✓	✓	✓	✓
	Nexus 5000	NX-OS 4.x/5.x/6.x/7.x	8.7.3	✓	✓	✓	✓	✓	✓
	Nexus 4000	NX-OS 4.x	8.7.3	✓	✓	✓	✓	✓	✓
	Nexus 3000	NX-OS 5.x/6.x	8.7.3	✓	✓	✓	✓	✓	✓
Industrial Ethernet Switches	2000 Connected Grid Switches	IOS 15.x	8.7.3	✓	✓	✓	✓	✓	✓
	Industrial Ethernet 2500	IOS 12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Industrial Ethernet 3010	IOS 12.x	8.7.3	✓	✓	✓	✓	✓	✓
	Industrial Ethernet 4000	IOS 15.x	8.7.3	✓	✓	✓	✓	✓	✓

Category	Switch Series	OS Version	Minimum CounterACT Plugin Version	See			Control		
				Endpoint Detection Ⓜ	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	Industrial Ethernet 5000	IOS 12./15.x	8.7.3	✓	✓	✓	✓	✓	✓
LAN Switches – Small Business	350 Series Managed Switches	IOS 12.x	8.7.3	✓	✓	✓	✓	✓	
	Small Business 300 Managed Switches	1.3.0.62	8.7.3	✓	✓	✓	✓	✓	
Service Provider Switches – Access	ME 2600X Series Ethernet Access Switches	IOS 12.x/15.x	8.7.3	✓	✓	✓	✓	✓	✓
	Catalyst 3550	IOS 12.x/15.x	8.7.3	✓	✓	✓	✓	✓	✓
Service Provider Switches – Aggregation	ME 3800X Series Ethernet Access Switches	IOS 15.x	8.7.3	✓	✓	✓	✓	✓	✓
Service Provider Switches – Ethernet Access	ME 1200 Series Ethernet Access Switches	IOS 12.x	8.7.3	✓	✓	✓	✓	✓	✓
	ME 3400X Series Ethernet Access Switches	IOS 12.x	8.7.3	✓	✓	✓	✓	✓	✓

Category	Switch Series	OS Version	Minimum CounterACT Plugin Version	See			Control		
				Endpoint Detection ⁽¹⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Virtual Networking	Nexus 1000V Switch for VMware vSphere	NX-OS 4.x	8.7.3	✓	✓	✓	✓	✓	✓
Storage Networking	MDS 9000 Multilayer Switches	SAN-OS 3.x	8.7.3	✓	✓	✓	✓	✓	✓

(1) VRF configuration is supported for Cisco switches that implement VRF.

HPE Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽²⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus Switching	Flex Network 7500	Comware 5.20.x	8.7.3	✓			✓	✓	
	Aruba 5400zl	ProCurve K.15.x ProCurve K.14.x	8.7.3	✓	✓	✓	✓	✓	
	Aruba 3810	ProCurve KB.16.x	8.11.3	✓	✓	✓	✓	✓	
	Aruba 2920	ProCurve WB.15.x	8.7.3	✓	✓	✓	✓	✓	
	Aruba 2620	ProCurve RA.15.x	8.7.3	✓	✓	✓	✓	✓	
	Aruba 2530	ProCurve YA.15.x	8.7.3	✓	✓	✓	✓	✓	
	ProCurve 1810	ProCurve 2.16	8.7.3	✓	✓	✓	✓	✓	

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽²⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	ProCurve 3500yl	ProCurve K.15.x ProCurve K.14.x	8.7.3	√	√	√	√	√	
	ProCurve 2800	ProCurve I.10.x	8.7.3	√	√	√	√	√	
	ProCurve 2910al	ProCurve W.15.x	8.7.3	√	√	√	√	√	
	ProCurve 2600	ProCurve H.08.x / H.10.x	8.7.3	√	√	√	√	√	
	ProCurve 2610	ProCurve R.11.x	8.7.3	√	√	√	√	√	
	ProCurve 2810	ProCurve N.11.x	8.7.3	√	√	√	√	√	
	ProCurve 2520	ProCurve S.15.x / J.14.x / J.15.x	8.7.3	√	√	√	√	√	
	ProCurve 2510	ProCurve Q.11.x/ Y.11.x / U.11.x	8.7.3	√	√	√	√	√	
	ProCurve 3100-SI	Comware 5.20.x	8.9.5	√	√	√	√	√	
	ProCurve 3100-EI	Comware 5.20.x	8.9.5	√	√	√	√	√	
	ProCurve 6108	ProCurve H.07.x	8.7.3	√	√	√	√	√	
	ProCurve 2500	ProCurve F.01.x / F.04.x/ F.05.x	8.7.3	√	√	√	√	√	

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽²⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	ProCurve 2424M	Comware 5.20.x	8.9.5	√	√		√	√	
	ProCurve 4000M	Comware 5.20.x	8.9.5	√	√		√	√	
	ProCurve 8200zl	ProCurve K.15.x	8.7.3	√	√	√	√	√	
	ProCurve 4200vl	ProCurve L.11.x	8.7.3	√	√	√	√	√	
	HP 5500 EI	Comware 5.20.x	8.7.3	√			√	√	
	HPE 5120	Comware 5.20.x	8.9.5	√	√		√	√	
	HPE 5130	Comware 7.1.x	8.9.5	√	√		√	√	
Data Center Networking	FlexFabric 12500	Comware 5.20.x	8.7.3	√			√	√	
	FlexFabric 5800	Comware 5.20.x	8.9.5	√			√	√	
	FlexFabric 5820	Comware 5.20.x	8.9.5	√			√	√	
Small and Midsize Business Switches	OfficeConnect 1910	Comware 5.20.x	8.9.5	√			√	√	

(2) VRF configuration is supported for HPE switches that implement VRF (switches running Comware OS only).

Juniper Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽³⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Branch & Campus Access	EX 2200	Junos 12.3	8.11.2	√	√	√	√	√	√
	EX 3300	Junos 11.4 / 12.3 / 15.1	8.9.0	√	√	√ ⁽⁴⁾	√	√	√
	EX 3400	Junos 15.1	8.11.2	√	√	√	√	√	√
Campus & Data Center Access	EX 4200	Junos 13.2 / 15.1	8.9.0	√	√	√ ⁽⁴⁾	√	√	√
	EX 4300	Junos 13.2 / 14.1	8.9.0	√	√	√ ⁽⁴⁾	√	√	√

(3) VRF configuration is supported for Juniper switches that implement VRF.

(4) Available only from version 8.11.2

Avaya Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽⁵⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus Network Switches	ERS 5000	4.x / 5.x / 6.x	8.7.3	√	√	√	√	√	
	ERS 4000	5.x	8.7.3	√	√	√	√	√	
	ERS 3500	5.x	8.7.3	√	√	√	√	√	

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽⁵⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	ERS 2500	4.x	8.7.3	√	√	√	√	√	
Data Center and Campus Core Switches	ERS 8300	3.x / 4.x	8.7.3	√	√	√	√	√	
Stackable Chassis Switches	VSP 7000	3.x	8.7.3	√	√	√	√	√	
	VSP 9012	10.1.x	8.7.3	√	√	√	√	√	

(5) VRF configuration is supported for Avaya switches that implement VRF.

Huawei Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus Switches	S2700	VRP 5.70	8.7.3	√			√	√	
	Quidway S2300	VRP 5.70	8.11.3	√	√	√	√	√	
	Quidway S3300	VRP 5.70	8.7.3	√	√ ⁽⁶⁾	√ ⁽⁶⁾	√	√	
	S5710	VRP 5.150	8.11.3	√	√	√	√	√	
	S5700-EI/LI	VRP 5.130 / 5.160	8.7.3	√			√	√	

(6) Available only from version 8.11.3

Arista Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽⁷⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Data Center Switches	7150	EOS 4.11.x / 4.12.x / 4.13.x	8.9.0	✓		✓	✓	✓	
	7048-A	EOS 4.11.x / 4.12.x / 4.13.x	8.9.0	✓		✓	✓	✓	
	7124SX	EOS 4.12.x / 4.13.x	8.9.0	✓		✓	✓	✓	
	7124S	EOS 4.13.x	8.9.0	✓		✓	✓	✓	

(7) VRF configuration is supported for Arista switches that implement VRF.

H3C Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection*	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus Network Switches	S3100-EI	Comware 3.10	8.7.3	✓	✓		✓	✓	
	S3600-EI	Comware 3.10	8.7.3	✓	✓		✓	✓	
	S3600-SI	Comware 3.10	8.7.3	✓	✓		✓	✓	
	S5120-SI	Comware 5.20	8.7.3	✓	✓		✓	✓	
	S5500-EI	Comware 5.20	8.7.3	✓	✓		✓	✓	
	S5120-HI	Comware 5.20	8.7.3	✓	✓		✓	✓	

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection*	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Data Center Switches	S5500-HI	Comware 5.20	8.7.3	√	√		√	√	
	S5800V2	Comware 5.20	8.7.3	√	√		√	√	
	S5800/S5820	Comware 5.20	8.7.3	√	√		√	√	
	S7500Ev7	Comware 5.20	8.7.3	√	√		√	√	

Alcatel Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽⁸⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus Access Switches	OS 6250	6.6.x	8.7.3	√	√		√	√	
	OS 6450	6.6.x	8.7.3	√	√		√	√	
	OS 6400	6.4.x	8.7.3	√	√		√	√	
	OS 6850	6.4.x	8.7.3	√	√		√	√	
	OS 6860	8.1.x / 8.2.x	8.7.3	√	√		√	√	
Campus LAN Core Switches	OS 10K	7.3.x	8.7.3	√	√		√	√	
	OS 9616 OS 9716	6.4.x	8.7.3	√	√		√	√	

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection ⁽⁸⁾	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	OS 9700	6.4.x	8.7.3	√	√		√	√	
	OS 9800	6.4.x	8.7.3	√	√		√	√	
Data Center Switches	OS 6900	7.3.x	8.7.3	√	√		√	√	

(8) VRF configuration is supported for Alcatel switches that implement VRF.

Brocade Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus Access	ICX 6610	07.x / 08.x	8.7.3	√	√	√	√	√	√
	ICX 6430/6450	07.x / 08.x	8.7.3	√	√	√	√	√	√
	ICX 6430	08.x	8.7.3	√	√	√	√	√	√
	ICX 7250	08.x	8.7.3	√	√	√	√	√	√
	FCX	06.x / 07.x	8.7.3	√	√	√	√	√	√
	FastIron GS	07.x	8.7.3	√	√	√	√	√	√
	FastIron WS	07.x	8.7.3	√	√	√	√	√	√

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
	FastIron SuperX	05.x	8.7.3	√	√	√	√	√	√
	FastIron Edge X	05.x	8.7.3	√	√	√	√	√	√
	FastIron LS	03.x	8.7.3	√	√	√	√	√	√
Campus Core & Aggregation	FastIron SX	07.x	8.7.3	√	√	√	√	√	√
	MLXE	05.x	8.7.3	√	√	√	√	√	√
	NetIron CER 2000	05.x/07.x	8.7.3	√	√	√	√	√	√
	ICX 6650	08.x	8.7.3	√	√	√	√	√	√
	ICX 7450	08.x	8.7.3	√	√	√	√	√	√
	ICX 7750	08.x	8.7.3	√	√	√	√	√	√
Data Center	TurboIron 24X	04.x	8.7.3	√	√	√	√	√	√

Dell Force10 Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Campus	N2000/3000	DNOS 6.x (Power Connect) 6.1.x / 6.2.x / 6.3.x	8.7.3	√			√	√	
	S-Series (S25/50)	Force10 Operating System (FTOS) 8.4.x	8.7.3	√			√	√	
Campus Core, Distribution and Data Center	S4800 (S4810)	DNOS 9.x (FTOS) 9.4.x / 9.7.x	8.7.3	√			√	√	
	C-Series (C300)	Force10 OS (FTOS) 8.4.x	8.7.3	√			√	√	

Extreme Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Access Switches	X430	ExtremeXOS 16.1.x	8.7.3	√			√	√	
	X440	ExtremeXOS 15.5.x / 15.6.x / 16.1.x	8.7.3	√			√	√	
	X460-G2	ExtremeXOS 15.5.x / 15.6.x / 16.1.x	8.7.3	√			√	√	

Enterasys Switches (now Extreme)

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Access Switches	SecureStack C	06.x / 05.x / 01.x	8.7.3	✓	✓		✓	✓	
	SecureStack B	04.02.x	8.7.3	✓	✓		✓	✓	
	SecureStack A	02.01.x	8.7.3	✓	✓		✓	✓	
Distribution, Core and Data Center	Matrix N	–	8.7.3	✓	✓		✓	✓	✓

D-Link Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Access Switches	DGS-3100/3200 DGS-1224T/1248 DES 1252	–	8.7.3	✓			✓	✓	

Hirschmann (Belden) Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Core Backbone	MACH 4000	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.2.1003	✓	✓	✓	✓	✓	

	Dragon Mach 4000/4500	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
IP67/IP54 Switches	Octopus	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
	Octopus II	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
Ruggedized Switches	MACH 1000/1040	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.2.1003	✓	✓	✓	✓	✓	
	Grayhound 1020/1030/1040	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
Embedded Switch	EES Series	Classic Switch Software 9.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
Workgroup Switches	MACH 100	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.2.1003	✓	✓	✓	✓	✓	
	MACH 104	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.2.1003	✓	✓	✓	✓	✓	
Industrial Switches	RSB 20	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.1.1334	✓	✓	✓	✓	✓	

RSR	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
BRS	HIOS Switch Software 7.4.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
RSP	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
RSPS	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
RSPL	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
RSPE	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
RS 20/30/40	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.1.1334	✓	N/A	✓	✓	✓	
MS 20/30	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.1.1334	✓	N/A	✓	✓	✓	
PowerMICE	Classic Switch Software 9.0.x	v7: 8.11.2.2036 v8: 8.12.2.1003	✓	✓	✓	✓	✓	
RED	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	

	MSP 30/40	HIOS Switch Software 7.0.x	v7: 8.11.2.1034 v8: 8.12.1.1334	✓	✓	✓	✓	✓	
--	-----------	----------------------------	--	---	---	---	---	---	--

Dasan Switches

Category	Switch Series	OS Version	Minimum CounterACT Switch Plugin Version	See			Control		
				Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
L2 Fast Ethernet Switch	V2824	NOS 1.13	8.7.3	✓			✓	✓	

Additional Switch Vendors

Switch Vendor	Minimum CounterACT Switch Plugin Version	See			Control		
		Endpoint Detection	VoIP Detection	Switch Discovery	Assign to VLAN	Block Switch Port	Provision ACL
Linksys	8.7.3	✓			✓	✓	
Alaxala	8.7.3	✓			✓	✓	
Apresia	8.7.3	✓			✓	✓	
vDax	8.7.3	✓			✓	✓	
NEC	8.7.3	✓			✓	✓	
Comtec	8.7.3	✓			✓	✓	

WLAN Integrations

Vendor	WLAN Device	Product	OS Version	Minimum CounterACT Plugin Version	See	Control	
					Endpoint Detection	WLAN Block	Role Assignment
Cisco	Controller	Virtual WLC	Cisco WLC 8.0.x / 8.2.x / 8.3.x	Wireless-1.4.1	✓	✓	✓
	Controller	5500 Series	Cisco WLC 8.0.x / 8.2.x / 8.3.x	Wireless 1.7.2	✓	✓	✓
	Controller	2100 Series	Cisco WLC 5.x / 6.x /7.x	Wireless-1.4.1	✓	✓	✓
	Controller	Catalyst 3850 Switch (Converged Access Solution)	IOS-XE 3.6.x	Wireless-1.5.0	✓	✓	
	Controller	Catalyst 3850 Switch (Converged Access Solution)	Denali 16.3.x	Wireless 1.7.2.1003 (HF)	✓	✓	
	Controller	5700 WLAN Controller	IOS-XE 3.6.x	Wireless-1.5.0	✓	✓	
	AP	Aironet 1600 Series AP	IOS 15.2x	Wireless-1.4.1	✓	✓	
	AP	Aironet 1200 Series AP	IOS 12.4	Wireless-1.4.1	✓	✓	
	Cloud Managed AP	Meraki MR	MR 24.12	CNC-1.0.0	✓		
Aruba (HPE)	Controller	Mobility Controller 7000 / 7200	Aruba OS 8.2 (2)	V8.0.1: Wireless- 1.8.2.1002 V8: Wireless-1.8.0.1011 V7: Wireless-1.7.2.2003	✓	✓	✓
	Controller	Mobility Controller 7000 / 7200	Aruba OS 6.5.x	V8: Wireless- 1.8.2 V7: Wireless-1.7.2.1015	✓	✓	✓
	Controller	Mobility Controller Virtual Appliance	Aruba OS 8.2 (2)	V8.0.1: Wireless- 1.8.2.1002	✓	✓	✓

Vendor	WLAN Device	Product	OS Version	Minimum CounterACT Plugin Version	See	Control	
					Endpoint Detection	WLAN Block	Role Assignment
				V8: Wireless-1.8.0.1011 V7: Wireless-1.7.2.2003			
	Controller	Mobility Controller Virtual Appliance	Aruba OS 6.5.x	V8: Wireless-1.8.2 V7: Wireless-1.7.2.1015	✓	✓	✓
	Controller	620 Mobility Controllers	Aruba OS 6.1.x	Wireless-1.4.1	✓	✓	✓
	AP	Aruba 200 Instant AP	Aruba OS 5.0.x	Wireless-1.4.1	✓		
Ruckus	Controller	ZoneDirector 1200	9.9.x	Wireless-1.8.0	✓	✓	
Motorola (Extreme)	Controller	RFS Series WLAN controller	WiNG 5.4	Wireless-1.4.1	✓	✓	
	Controller	VX 9000 Controller	WiNG 5.8	Wireless-1.4.1	✓	✓	
AeroHive	AP	HiveAP 320	HiveOS 3.x / 5.x	Wireless-1.4.1	✓	✓	
Meru (Fortinet)	Controller	MC500	3.4	Wireless-1.4.1	✓	✓	
	Controller	Virtual Mobility Controller MC-1550-VE	6.1	Wireless-1.4.1	✓	✓	
Xirrus	Controller	XN4	AOS 4.0.x	Wireless-1.4.1	✓	✓	
	Controller	XR520	AOS 7.0.x	Wireless-1.4.1	✓	✓	
Campus	Controller	Virtual Wireless LAN Controller (WLC)	8.0.152.0 (MD)	1.7.2.1	✓	✓	✓
	Controller	Virtual Wireless LAN Controller (WLC)	8.0.166.0 (ED)	1.7.2.1	✓	✓	✓

(2) The WLAN Role action is not currently supported on Aruba WLCs running Aruba OS 8.2 in Mobility Master and Mobility Managed modes.

VPN Integrations

Vendor	Switch Series	OS Version	Minimum CounterACT VPN Plugin Version	See	Control
				Endpoint Detection	User Block
Cisco	ASA 55- Series	8.4	VPN-4.0.5	√	√
	VPN Series 3000	4.7	VPN-4.0.5	√	√
Pulse Secure (Juniper)	MAG Series (MAG-2600)	PCS 8.1x	VPN-4.0.5	√	√
	SA Series (SA-2000)	PCS 7.1x	VPN-4.0.5	√	

Firewall Integrations

FW Vendor	OS Version	Minimum CounterACT Switch Plugin Version	See
			Endpoint Detection
Check Point	r75.40 / r77.10	8.9.1	√
Cisco ASA	8.4	8.9.1	√
Fortinet	v5.2.4	8.9.1	√
Juniper SRX	JUNOS 15.1	8.9.5	√
Palo Alto Networks	5.0.6 / 7.1.3 / 8.0.5	8.9.1	√
Forcepoint Stonesoft	5.7 / 5.8	8.9.1	√
Hirschmann/Belden EAGLE 20 /30	HiSecOS Software 3.1.01 / 3.0.02	v7: 8.11.2.2 v8: 8.12.2.1	√

Legal Notice

© 2018 ForeScout Technologies, Inc. All rights reserved. ForeScout Technologies, Inc. is a Delaware corporation. A list of our trademarks and patents can be found at <https://www.forescout.com/company/legal/intellectual-property-patents-trademarks>. Other brands, products, or service names may be trademarks or service marks of their respective owners.

2018-10-18 15:14